

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L3	1	((("6088753") or ("20040044968")).PN.	USPAT	2005/04/14 10:42
2	IS&R	L4	2	((("6088753") or ("20040044968")).PN.	US-PGPUB; USPAT	2005/04/14 12:05
3	BRS	L6	1	4 and (switch or switched or switching)	US-PGPUB; USPAT	2005/04/14 11:07
4	BRS	L5	2	4 and (bus near2 controller)	US-PGPUB; USPAT	2005/04/14 10:53
5	BRS	L7	2	4 and (connect or connected or connecting or disconnect or disconnected or disconnecting)	US-PGPUB; USPAT	2005/04/14 11:58
6	IS&R	L8	2	((("6845496") or ("20030042554")).PN.	US-PGPUB; USPAT	2005/04/14 11:54
7	BRS	L9	0	8 and (address or space)	US-PGPUB; USPAT	2005/04/14 11:55
8	BRS	L10	0	8 and (translation or translate or translated or translatin or map or mapping or mapped or convert or converting or converted or conversion)	US-PGPUB; USPAT	2005/04/14 12:53
9	BRS	L11	0	8 and (master or slave)	US-PGPUB; USPAT	2005/04/14 11:58
10	BRS	L12	2	8 and (enable or enabling or enabled or disable or disabling or disabled)	US-PGPUB; USPAT	2005/04/14 15:53
11	BRS	L13	2	8 and (connect or connected or connecting or disconnect or disconnected or disconnecting)	US-PGPUB; USPAT	2005/04/14 15:53
12	BRS	L14	2	12 and 13	US-PGPUB; USPAT	2005/04/14 11:59
13	BRS	L15	1	4 and (test or testing or tested)	USPAT	2005/04/14 12:06
14	BRS	L16	0	8 and (test or testing or tested)	USPAT	2005/04/14 12:12
15	BRS	L17	1	7 and (test or testing or tested)	USPAT	2005/04/14 12:07
16	BRS	L18	1	"20040044968" and (test or testing or tested)	US-PGPUB; USPAT	2005/04/14 12:24
17	IS&R	L19	10130	(710/2-5,8-11,13,14,36,37,62-64,72-74,100,104,105,300-302,305,306,316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 12:49

10/603,797

18	IS&R	L20	474	(710/110).CCIS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:25
----	------	-----	-----	-----------------	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
19	BRS	L22	141	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:34
20	BRS	L24	10463	19 or 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:33
21	IS&R	L25	819	(710/3,4,9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:34
22	BRS	L26	11	22 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:47
23	IS&R	L27	757	(709/208,209,211).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:47
24	IS&R	L28	4439	(711/1-6,100,111).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:48
25	IS&R	L29	3891	(711/200,202,203,206-208,220,221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:48
26	IS&R	L30	9694	(710/2,5,8,10-11,13,14,36,37,62-64,72-74,100,104,105,300-302,305,306,316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:51
27	BRS	L31	13829	28 or 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:51
28	BRS	L32	4640	25 or 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:51
29	BRS	L33	1186	20 or 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:52
30	BRS	L34	14	31 and 32 and 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 12:53

31	BRS	L35	6	34 and (ic or (integrated near2 circuit))	US-EGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:45
----	-----	-----	---	---	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
32	BRS	L36	8	34 and (translation or translate or translated or translation or map or mapping or mapped or convert or converting or converted or conversion)	US-PGPUB; USPAT	2005/04/14 13:44
33	BRS	L37	14	34 and (module or function or multifunction or multifunctional or multi-function or multifunctional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 15:48
34	BRS	L38	1	35 and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 12:59
35	BRS	L39	4	34 and (address near5 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 12:59
36	BRS	L41	2	39 and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 13:02
37	BRS	L42	11	((35 and 37) or (36 and 37)) not 41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 13:12
38	BRS	L43	20	(cpu with space) same (lsi with space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 13:42
39	BRS	L44	9	43 and (translation or translate or translated or translation or map or mapping or mapped or convert or converting or converted or conversion)	US-PGPUB; USPAT	2005/04/14 13:32
40	BRS	L45	6	43 not 44	US-PGPUB; USPAT	2005/04/14 13:32
41	BRS	L46	11	43 not 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 13:32
42	BRS	L47	3265	(two or different or independent or transparent) near5 (memory near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 15:49
43	BRS	L48	1316	47 and ((translation or translate or translated or translation or map or mapping or mapped or convert or converting or converted or conversion) with (address or addressed or addressing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERMENT; IBM_TDB	2005/04/14 13:44

44	BRS	L49	587	48 and (ic or (integrated near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:51
----	-----	-----	-----	---	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
45	BRS	L50	1157	48 and (module or function or multifunction or multifunctional or multi-function or multifunctional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:47
46	BRS	L51	191	48 and 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:47
47	BRS	L52	220	47 and 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:48
48	BRS	L53	9	48 and 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:49
49	BRS	L55	183	48 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:49
50	BRS	L56	252	47 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:51
51	BRS	L58	1164	47 and (ic or (integrated near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:54
52	BRS	L59	0	51 and 53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:55
53	BRS	L60	41	51 and 55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:56
54	BRS	L61	55	51 and 49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 13:56
55	BRS	L62	12	60 and 61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 14:36
56	BRS	L63	29	60 not 62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 14:51

57	BRS	L64	43	61 not (62 or 63)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:13
----	-----	-----	----	-------------------	--	---------------------



	Type	L #	Hits	Search Text	DBs	Time Stamp
58	BRS	L65	107	51 not (62 or 63 or 64)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:30
59	BRS	L66	29	52 not 51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:31
60	BRS	L68	0	66 and 54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:31
61	BRS	L69	3	66 and 56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:32
62	BRS	L70	9	66 and 58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:32
63	BRS	L71	1	69 and 70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:32
64	BRS	L72	2	69 not 71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:33
65	BRS	L73	8	70 not 71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:37
66	BRS	L74	18	66 not (71 or 72 or 73)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:37
67	BRS	L54	13	47 and 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:38
68	BRS	L76	81	47 and (multifunction or multifunctional or multi-function or multifunctional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:49
69	BRS	L77	995	47 and ((function or module) near5 (several or plural or two or plurality or multiple or multiplicity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:59

70	BRS	L78	695	47 and ((function or module) near5 (several or plural or plurality or multiple or multiplicity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:51
----	-----	-----	-----	--	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
71	BRS	L79	1031	76 or 77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:52
72	BRS	L80	898	79 and (connect or connected or connecting or disconnect or disconnected or disconnecting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:53
73	BRS	L81	853	79 and (enable or enabling or enabled or disable or disabling or disabled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:54
74	BRS	L82	985	80 or 81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:54
75	BRS	L83	232	82 and (master and slave)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:54
76	BRS	L84	8	83 and 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 15:55
77	BRS	L85	123182	((function or module) near5 (several or plural or two or plurality or multiple or multiplicity)) or multifunction or multifunctional or multi-function or multi-functional) same ((connect or connected or connecting or disconnect or disconnected or disconnecting) or (enable or enabling or enabled or disable or disabling or disabled))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:02
78	BRS	L86	4731	((function or module) near5 (several or plural or two or plurality or multiple or multiplicity)) or multifunction or multifunctional or multi-function or multi-functional) same (connect or connected or connecting or disconnect or disconnected or disconnecting or enable or enabling or enabled or disable or disabling or disabled) same (ic or (integrated near5 chip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:06
79	BRS	L87	12	47 and 86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
80	BRS	L88	57461	((function or module) near5 (several or plural or two or plurality or multiple or multiplicity)) or multifunction or multifunctional or multi-function or multi-functional) with (connect or connected or connecting or disconnect or disconnected or disconnecting or enable or enabling or enabled or disable or disabling or disabled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:06
81	BRS	L89	123182	((function or module) near5 (several or plural or two or plurality or multiple or multiplicity)) or multifunction or multifunctional or multi-function or multi-functional) same (connect or connected or connecting or disconnect or disconnected or disconnecting or enable or enabling or enabled or disable or disabling or disabled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:06
82	BRS	L91	330	47 and 89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:07
83	BRS	L90	177	47 and 88	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:14
84	BRS	L92	94	90 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:27
85	BRS	L93	173	91 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:27
86	BRS	L94	79	93 not 92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/04/14 16:27